

SAFETY DATA SHEET

POLYESTER PULL TAPE



December 7, 2016

IDENTIFICATION

Company: Dura-Line Corporation
Address: 11400 Parkside Drive, Suite 300, Knoxville, TN 38934
Telephone: (865) 218-3460; (800) 847-7661; Fax (865) 223-5085

Product Name: Tape for Cable Pulling

HMIS Rating: Health: 0 Flammability: 0 Reactivity: 0 Key: 0 - minimal 3 - serious
NFPA Rating: Health: 0 Flammability: 0 Reactivity: 0 1 - slight 4 - severe
PIN: None 2 - moderate
Revision date: December 7, 2016

HAZARDOUS INGREDIENTS / INFORMATION ON INGREDIENTS

This product contains no reportable hazardous components under 29 CFR 1910.1200. There are no ACGIH or OSHA threshold limit values for this product or any of its ingredients. Non-hazardous ingredients include:

<i>Ingredients</i>	<i>Wt. %</i>	<i>CAS Number</i>	<i>ACGIH TLV</i>	<i>OSHA PEL</i>
Polyethylene Terephthalate (Polyester)	>95%	25038-59-9	N.E.*	N.E.
Dimethylpolysiloxane	1%	63148-62-9	N.E.	N.E.

* Not Established

HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: White, woven tape for cable pulling. There are no hazards normally associated with the product for which first aid is required.

POTENTIAL HEALTH EFFECTS:

Skin Contact: Not found to be a sensitizer.
Eye Contact: May cause mechanical irritation.
Inhalation: Not an inhalation hazard.
Ingestion: Not a probable route of exposure.
Medical conditions known to be aggravated by exposure to product: None known specific to product.

FIRST AID

Skin Contact: No hazard normally associated.
Eyes: No hazard normally associated. Treat mechanical damage as one would any inert foreign object.
Inhalation: Not a hazard
Ingestion: Not a probable route of exposure.

FIRE HAZARD

Flash Point:	None.
Flammable Limits in Air:	Not determined.
Extinguishing Media:	All standard agents may be used
Special Fire Fighting Procedures:	Wear self contained breathing apparatus. Avoid excessive inhalation of smoke or potential thermal decomposition products.
Unusual Fire Hazards:	None

ACCIDENTAL RELEASE MEASURES

Not Applicable in the form supplied.

HANDLING AND STORAGE

No special handling or storage requirements.

EXPOSURE CONTROLS / PERSONAL PROTECTION

Controls:	None required
Personal Protection:	Wear safety glasses to protect eyes

PHYSICAL PROPERTIES

Initial Boiling Point (bulk):	N/A	Vapor Pressure:	N/A
Percent Volatile:	N/A	Vapor Density (air = 1):	N/A
Density/ Sp. Gravity:	1,3 – 1.4g/cm ³	Evaporation Rate (nBu Ac = 1):	N/A
Water Solubility:	Insoluble	Appearance:	White,/ woven Pull Tape
pH:	N/A	Odor:	Neutral odor
VOC Content:	N/A	Melting Point:	260° C

STABILITY AND REACTIVITY

Stability:	Stable.
Incompatibility (Materials to Avoid):	Tends to dissolve in caustic materials.
Hazardous Polymerization:	Will not occur.
Hazardous Decomposition Products:	Soot, oxides of carbon if heated to combustion temperature
Conditions to Avoid:	None Known.

TOXICOLOGICAL INFORMATION

Carcinogenicity: Contains no known or suspected carcinogens listed with OSHA, IARC, NTP, or ACGIH.
Threshold Limit Value: Unknown.
WHMIS Information: According to available information, the ingredients have not been found to show reproductive toxicity, teratogenicity, mutagenicity, skin sensitization, or synergistic toxic effects with other materials.

ECOLOGICAL INFORMATION

Ecotoxicological Information: Considered to be inert.
Chemical Fate Information: Considered to be inert.

DISPOSAL

Disposal should be made in accordance with federal, state, and local regulations.
RCRA: Not a hazardous waste.
U.S. EPA Waste Number: None

TRANSPORTATION

DOT Proper Shipping Name: None, not restricted.
DOT Hazard Class or Division: None.
UN/NA Number: None.

REGULATORY INFORMATION

TSCA: All ingredients are listed in TSCA inventory.
CERCLA: Not reportable.
SARA TITLE III Section 302 & 313: Contains nothing on this list at or above *de minimus* amounts.
SARA Section 311, 312 Hazard Categories: No reportable hazard categories.
California Proposition 65: Contains nothing on this list.
WHMIS Hazard Class (Canada): Not a controlled product.

OTHER INFORMATION

These data sheets are offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is made. The recommended handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific content of the intended use.